



**LEGEND:**

- 6.32\* DENOTES CERTIFIED FINISHED ALLOTMENT LEVEL
- 6.32x DENOTES EXISTING ALLOTMENT LEVEL
- TOP OF BATTER (1 ON 6 U.N.O)
- BOTTOM OF BATTER
- EXISTING FENCE
- W-W-W- EXISTING WATER
- S-S-S- EXISTING SEWER
- DIRECTION OF KERB & CHANNEL FLOW
- EXISTING VEGETATION

**NOTES:**

1. ALL BACKFILL WAS COMPACTED TO NOT LESS THAN 95% OF THE STANDARD MAXIMUM DRY DENSITY TO A.S.1289 IN MAXIMUM 150mm LAYERS, UNLESS NOTED OTHERWISE.
2. ALL FILL 300mm BELOW ROAD BOXING WAS COMPACTED TO NOT LESS THAN 97% OF THE STANDARD MAXIMUM DRY DENSITY TO A.S.1289 IN MAXIMUM 150mm LAYERS, UNLESS NOTED OTHERWISE.
3. ALLOTMENTS EVENLY GRADED BETWEEN LEVELS SHOWN. MINIMUM LOT GRADE 1:200.
4. FILL BATTERS TO EXTEND 1.0m OUTSIDE ALLOTMENTS.
5. EXISTING TREES TO BE PRESERVED WHERE POSSIBLE AS DIRECTED BY THE SUPERINTENDENT.
6. EXISTING SURVEY AND VEGETATION SHOWN PRIOR TO THE CONSTRUCTION OF STAGE 1.

**Q100 LEVELS**

HOLYOAK AVENUE	
CHAINAGE	LEVEL
20	4.75
40	4.75
60	4.75
80	4.75
94.567	4.75



**AS CONSTRUCTED ISSUE**

REV.	DATE	REVISIONS
A	03/05/13	AS CONSTRUCTED ISSUE

**brazier motti**  
www.braziermotti.com.au  
595 Flinders Street, Townsville  
Phone: 4772 1144 Fax: 4772 2557  
Email: townsville@braziermotti.com.au  
Job No: 29060/028-02

**REAL PROPERTY DESCRIPTION:**  
LOT 7000 ON SP 247154

<b>DRAWN:</b> S.ROSSO	<b>DATUM:</b> AHD (DERIVED)
<b>DESIGNED:</b>	PSM 78108 RL.3.081
<b>CHECKED:</b> C.McGINN	
<b>PROJECT MANAGER:</b> P.PETERSEN	<b>PROJECT DIRECTOR:</b> P.BRADY RPEQ 7112

**UDP Consulting Engineers**  
Urban Development Design Infrastructure Project Management  
Level 1, 62 Walker Street  
TOWNSVILLE QLD 4810  
PO BOX 1110  
TOWNSVILLE QLD 4810

Phone: (07) 4772 0666  
Fax: (07) 4772 0566  
Email: maln@udpconsulting.com.au  
Web: www.udpconsulting.com.au

**URBAN LAND DEVELOPMENT AUTHORITY**  
THE VILLAGE - STAGE 2  
RIVEREDGE BOULEVARD, OONOONBA  
EARTHWORKS LAYOUT PLAN

<b>DRAWING SIZE:</b> A1	<b>SCALE:</b> XREF 1:500	<b>DRAWING No.:</b> ULD001/101	<b>REV:</b> A
----------------------------	-----------------------------	-----------------------------------	------------------